

	Application No.	Applicant(s)
Notice of Allowability	10/653,695	SHIN ET AL.
	Examiner	Art Unit
	Christopher D. Prone	3738
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>The after final amendment filed 12/15/05 and the telephone interview on 1/5/05</u> .		
2. The allowed claim(s) is/are 5 and 7.		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)). * Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	E [] Nation of Information	Atom America dia m (DTO 450)
 Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948) 	6. ⊠ Interview Summary (atent Application (PTO-152)
	Paper No./Mail Date	Paper No./Mail Date <u>1/5/06</u> . 7. ⊠ Examiner's Amendment/Comment
 Information Disclosure Statements (PTO-1449 or PTO/SB/09) Paper No./Mail Date 	8), 7. 🛛 Examiner's Amendm	
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. Examiner's Statement	nt of Reasons for Allowance
	9. Other	

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with William Evans on 1/5/06. The application has been amended as follows:

Claim 5 on line 18 "similar" has been deleted

And replaced with –substantially equal—

Claim 5 on line 19 "with each of overlapped" has been deleted

And replaced with –wherein both distal and proximal—

Claim 5 on line 20 "being integrating" has been deleted

And replaced with –are integrated—

Claim 5 on line 21 "the overlapped" has been deleted

And replaced with --the distal and proximal—

Claim 7 on lines 9 and 10 "between overlapped ends of the rubber tube and the inside and outside stent bodies, the overlapped ends being held together" has been deleted

Claim 7 on line 11 "the overlapped" has been deleted

And replaced with —distal and proximal—

COP.

Application/Control Number: 10/653,695 Page 3

Art Unit: 3738

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christopher D. Prone whose telephone number is (571) 272-6085. The examiner can normally be reached on Monday Through Fri 8:30 to 5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Corrine McDermott can be reached on (571) 272-4754. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Christopher D Prone Examiner Art Unit 3738

> ALVIN J. STEWART PRIMARY EXAMINER

CM CDP